

# Plant cells viability measurement: spectrofluorometric approach

Jefrem Schwab, Rasha Bassam and Ilya Digel

Institute for Bioengineering  
Aachen University of Applied Sciences  
D-52428 Jülich, Germany  
E-Mail: jefrem.schwab@alumni.fh-aachen.de

**Abstract** – In this study we evaluated a new approach for non-invasive viability measurement of suspended plant cells (*Solanum jasminoides* callus tissue) using their intrinsic (natural) fluorescence. Many currently used reagent-aided methods are based on detection of cellular metabolic activity, such as enzymatic hydrolysis of fluorogenic substrates or physiological redox-reactions. For example, esterases can hydrolyze a fluorogenic substrate, namely fluorescein diacetate (FDA) [6] and stain viable cells with the highly fluorescent product fluorescein or in the case of reductases, 2,3,5-triphenyl tetrazolium chloride (TTC) and 3-(2,5-diphenyl tetrazolium bromide (MTT) can be converted to formazan upon fully active mitochondria and hence stain viable cells [8].

Another group of methods probe primarily the physical properties of cells, such as cytoplasmic streaming or membrane integrity [1]. In order to assay the membrane integrity, dyes like trypan blue [2], neutral red [3], methylene blue [4], Evans blue [5], phenosafranine [6], propidium iodide [7], SYTOX dyes [7] are widely used. These dyes cannot pass through a viable cell membrane but can leak through disrupted membranes and subsequently stain specific internal contents, such as DNA of non-viable cells (=dye exclusion method). After staining, the viability of the cells can be estimated via a (fluorescence) microscope or a spectrometer.

Although these quantitative viability measures are used in laboratories worldwide and are considered to be the gold-standard, yet none of them has been adopted as optimal and they have still limitations whenever only a small amount of cell probe is available or the method should be non-invasive. Sharon Sowan were among the first researchers who developed a noninvasive measurement of cell viability based on infrared spectroscopy in order to understand “viability” in biochemical terms. They found out that the level of intracellular CO<sub>2</sub> production could be used as a viability determinant for plant cells. The measurement of CO<sub>2</sub> level could be carried out by cooling the suspended cells to subzero temperatures and allowed estimation of viability using infrared spectroscopy [9].

In our study, the idea was to make use of autofluorescent molecules within cells, such as nicotinamide adenine dinucleotide (NADH), flavin adenine dinucleotide (FAD) and others, which reflect mitochondrial activity and thus could be used as natural “viability markers” [10]. For the measurements, living *Solanum* callus cells (1 g) were first suspended in 0.9 % NaCl solution and used to produce a series of dilutions. The overall fluorescence spectrum of the cells was measured with the spectrofluorometer Jasco FP-8500 upon applying the excitation range of 200-350 nm and the emission range of 250-400 nm with a bandwidth of 5 nm. A sample with dead cells was prepared by cooking (99°C) the living cells for max. 2 min. In order to achieve different cell viabilities, living and dead cells were adequately mixed. For comparison purposes cell viability was in parallel also quantitatively estimated using PI/FDA assay and fluorescence microscope observation.

Initial results of spectrofluorometric measurement showed, that with this method it is possible to distinguish between 100 % living cells and 100 % dead cells (see Fig. 1) by using reference data. As can be clearly seen in Fig. 1 (a) and (c), the intensity maxima values are shifting depending on the viability of the cells. But at this stage is still not possible to announce a precise viability value. Further experiments have to be conducted in order to eliminate all possible artefacts.

Other possible approaches would be the use of a viability index or the implementation of neural network technology.




Fig. 1: (a) Is showing the spectrofluorometric data as intensity values of approx. 100 % viable cells, shown in (b) as FDA/PI staining (green= living cells, red= dead cells). (c) Is showing the spectrofluorometric data as intensity values of 100 % dead cells, which is shown in (d) as FDA/PI staining.

## References

- [1] Victor M. Loyola-Vargas and Neftali Ochoa-Alejo (eds.), *Plant Cell Culture Protocols, Methods in Molecular Biology*, vol. 877, Springer Science+Business Media, LLC 2012.
- [2] Hou BH, Lin CG, "Rapid optimization of electroporation conditions for soybean and tomato suspension cultured cells". *Plant Physiol.*, 111(Suppl 2):166, 1996.
- [3] Cripin RW, Perrier JL, "The use of neutral red and Evans blue for live-dead determinations of marine plankton", *Stain Technol.*, vol. 49, pp. 97-104, 1974.
- [4] Huang CN, Cornejo MJ, Bush DS et al., "Estimating viability of plant protoplasts using double and single staining", *Protoplasma*, vol. 135, no. 2, pp. 80-87, June 1986.
- [5] Baker CJ, Mock MM, "An improved method for monitoring cell death in cell suspension and leaf disc assays using Evans blue", *Plant Cell Tissue Organ Cult.*, vol. 39, no. 1, pp. 7-12, October 1994.
- [6] J.M. Wildholm, "The use of fluorescein diacetate and phenosafranin for determining viability of cultured plant cells", *Stain Technol.*, vol. 47, no. 4, pp. 189-194, July 1972.
- [7] T. Matsuzaki, T. Suzuki, K. Fujikura and K. Takata, "Nuclear Staining for Laser Confocal Microscopy", *Acta Histochem.*, vol. 30, no. 3, pp. 309-314, May 1997.
- [8] L.E. Towill, P. Mazur, "Studies on the reduction of 2,3,5-triphenyltetrazolium chloride as a viability assay for plant tissue cultures", *Canadian Journal of Forest Research*, vol. 36, no. 11, pp. 2864-2872, June 1975.
- [9] S. Sowa and L. E. Towill, "Infrared Spectroscopy of Plant Cell Cultures", *Plant Physiol.*, vol. 95, 610-615, Nov 1990.
- [10] F. Bartolomé and A. Y. Abramov, "Measurement of mitochondrial NADH and FAD autofluorescence in live cells", *Methods Mol. Biol.*, vol. 1264, pp. 263-270, Jan 2015.